

Cystatin C Mouse Monoclonal Antibody(5A2)

Catalog No: RA10116

Basic Information

Host species	Mouse
Applications	WB,IHC,ELISA
Species Cross-Reactivity	H
Specificity	Antibody can detects endogenous Cystatin C protein.
Recommended dilutions	WB: 1:1,000-2,000 IHC: 1:100-200 ELISA: 1:10,000-20,000 Optimal dilutions should be determined by the end user.

Applications

Formulation	PBS, pH 7.4, containing 0.02% sodium azide as Preservative and 50% Glycerol.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Concentration	1 mg/ml
Clonality	Monoclonal

Background

AD8, Cystatin3, Gamma trace, HCCA

/

x0007

x0007

_x0007_Immunohistochemical analysis of paraffin-embedded Human Brain Tissue using Cystatin C (TDY597) Mouse mAb diluted at 1:200.

x0007

Alternative Names

x0007

x0007

x0007

x0007

x0007

x0007

x0007

x0007

Observed band

14


Human Gene ID

1471

Human Swiss-Prot Number P01034

Background

Selected Validation Data



Immunohistochemical analysis of paraffin-embedded Human Brain Tissue using Cystatin C Mouse mAb diluted at 1:200.