


Histone H3(Tri Methyl Lys14) Rabbit Polyclonal Antibody

Catalog No: RA20091


| Basic Information | |
|--------------------------|--|
| Host species | Rabbit |
| Applications | WB, IHC |
| Species Cross-Reactivity | H, R |
| Specificity | The Histone H3(Tri Methyl Lys14) Rabbit Polyclonal Antibody can detects endogenous Histone H3 (Tri Methyl Lys14) protein. |
| Recommended dilutions | WB: 1:1,000-2,000 IHC: 1:200-500 |
| | Optimal dilutions should be determined by the end user. |
| Applications | |
| Formulation | Antigen Affinity Purified Rabbit IgG, 1mg/ml in PBS pH7.4, containing 0.02% sodium azide as Preservative and 50% Glycerol. |
| Storage | Store at -20°C. Avoid repeated freeze-thaw cycles. |
| Concentration | 1 mg/ml |
| Clonality | Polyclonal |
| Background | |
| Alternative Names | H3 histone antibody, HIST1H3A antibody, Histone cluster 1, H3a antibody |
| Observed band | 15-17 |
| Human Gene ID | 8290 |
| Human Swiss-Prot Number | P68431 |
| Background | Histone H3 is one of the five main histone proteins involved in the structure of |
| | chromatin in eukaryotic cells. Core component of nucleosome. Nucleosomes wrap |
| | and compact DNA into chromatin, limiting DNA accessibility to the cellular |
| | machineries which require DNA as a template. Histones thereby play a central |
| | role in transcription regulation, DNA repair, DNA replication and chromosomal stability. |



Selected Validation Data



Western blot analysis of 1) Hela, 2)Rat Testis Tissue with Histone H3 (Tri Methyl Lys14) Rabbit pAb diluted at 1:1,000.



Immunohistochemical analysis of paraffin-embedded Human Breast Caricnoma using Histone H3 (Tri Methyl Lys14) Rabbit pAb diluted at 1:500.