

## His-Tag Mouse Monoclonal Antibody(4E6)-HRP conjugated

Catalog No: RTA16

Basic Information	
Host species	Mouse
Applications	WB
Species Cross-Reactivity	Recombinant His-Tag Specific
Species Closs-Reactivity	The His tag antibody can recognize C-terminal, internal, and N-terminal His-tag
Specificity	fusion proteins.
Recommended dilutions	WB: 1:5,000
	Optimal dilutions should be determined by the end user.
	Optimal dilutions should be determined by the end user.
Applications	
Formulation	PBS, pH 7.4, 50% Glycerol. Avoid SODIUM AZIDE.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Concentration	1 mg/ml
Clonality	Monoclonal
Background	
Alternative Names	
Observed band	N/A
Human Gene ID	N/A
Human Swiss-Prot Number	N/A
Background	A polyhistidine-tag is an amino acid motif in proteins that consists of at least five
	histidine (His) residues, often at the N- or C-terminus of the protein. Monoclonal
	antibodies specific to six histidine tags can greatly improve the effectiveness of
	several different kinds of immunoassays, helping researchers identify, detect, and
	purify polyhistidine fusion proteins in bacteria, insect cells, and mammalian cells.



## Selected Validation Data



Western blot analysis of His recombinant protein with His Mouse mAb(4E6) HRP Conjugated diluted at 1 ) 1:10,000 2 ) 1:20,000